



OFFICE OF
 THE CITY ENGINEER
 PHONE (650) 829-6652

CITY COUNCIL 2026
 MARK ADDIEGO, MAYOR (DIST. 1)
 MARK NAGALES, VICE MAYOR (DIST. 2)
 FLOR NICOLAS, MEMBER (DIST. 3)
 JAMES COLEMAN, MEMBER (DIST. 4)
 EDDIE FLORES, MAYOR (DIST. 5)

LAURA SNIDEMAN, CITY MANAGER

Traffic Advisory Committee
Wednesday, May 27, 2026, 13:30
Meeting No. 2602
Virtual (Microsoft Teams)

Department	Representative
Engineering	Sr. Engineer John Wilson, PE
Police	Sgt. Ivan De La Cruz
Planning	Sr. Planner Billy Gross (absent)
Public Works	Prog. Mgr. Marissa Garren
Fire	Fire Marshall Ian Hardage

Meeting Agenda

Item No.	Location – Description (Requested By, Date Requested)	Action (Study, No Action, etc.)
2601-A	Oyster Point Blvd and Marina Blvd – Request to confirm correct traffic signal operation (Staff, 12/16/2025)	<p>Issue Recommendation – BKF to develop concept alternatives for revised signal phasing, lane configuration, and signing/stripping. BKF Recommendation: restripe northbound and southbound bike lanes and adjacent travel lanes to ensure MUTCD compliance and reduce driver/cyclist confusion. Draft exhibit complete. Consider conflicts with bus stop, if applicable. [X] Check with Signal Shop first to ensure signal heads work, etc. (OK) <input type="checkbox"/> Determine construction method (Angel.) [X] BKF to review signal timing and phasing. [X] John tested configuration.</p>
2602-08	Orange Ave & B St – Concern regarding visibility of children crossing at existing RRFB location (Public Comment, 2/10/2026)	<p>Issue Recommendation – See BKF report. Replace existing eastern luminaire with higher-output fixture (e.g., ~100W Cree Guideway series) to meet RP-8 illumination standards. Fire mentions there may be changes with 201 Orange (B&G Club), which may impact the street lighting levels. [X] Confirm with Matt R before replacing luminaires in case the B&G Club is responsible. (not responsible; stock wattage is 91W) [X] Requires 101W or 103W. Confirm with electrical shop (Marissa).</p>
2602-09	Callan Blvd & Meath Dr – No marked crosswalk across Callan (Public Comment, 2/10/2026)	<p>Issue Recommendation – See BKF report. Design and construct ADA/PROWAG-compliant high-visibility crosswalk on north leg of</p>

Item No.	Location – Description (Requested By, Date Requested)	Action (Study, No Action, etc.)
		<p>intersection, including curb ramps and alignment adjustments with marked crossing on Meath Dr approach. [X] BKF to prepare design</p>
2602-10	<p>Westborough Blvd between Skyline Blvd & Callan Blvd – Bike lane terminates, requiring bicycles and vehicles to share lane on higher-speed segment (Public Comment, 2/10/2026)</p>	<p>Issue Recommendation – See BKF report. Revise westbound striping on Westborough Blvd between Skyline Blvd and Fleetwood Dr by shortening left-turn pocket to provide continuous bike lane. Remove non-compliant stop control at Fleetwood Dr. Notify Caltrans. Angel mentions residents may request ramps in SSF ROW. [X] Review whether ADA ramps should be upgraded. (existing ramp adjacent to City ROW has been recently upgraded, and striping will not trigger ramps on Caltrans ROW) [X] Obtain Caltrans permit (04-26-N-MC-0933) [X] Forward to 2026 Surface Seal project for implementation.</p>
2602-14	<p>Callan Blvd & King Dr – Drivers consistently not yielding right-of-way; shared intersection with Daly City (Public Comment, 2/10/2026)</p>	<p>Refer to Daly City – Provide Streetlight TMC with Daly City and request consideration for traffic signal study. [X] Meet with Daly City Public Works (4/7/2026). [X] Refer to Daly City.</p>
2602-17	<p>Chestnut Ave & Civic Campus Way – Visibility concerns related to lighting (Public Comment, 2/10/2026)</p>	<p>Issue Recommendation – See BKF report. Replace luminaire on Antoinette Ln (~80W equivalent) and east corner signal pole (~180W equivalent). Monitor conditions post-installation and evaluate need for additional improvements. Discussed prohibiting right turn on red, added signs are not being followed. Discussed FYLTA with POOFYA, and split phasing ph4/8. PD comments that yield on green signs are not being obeyed. [] John to discuss signal operations with Kimley Horn and present on findings at future TAC meeting before making changes. [X] BKF to prepare work order for lighting changes.</p>
2602-19	<p>516 Spruce Ave (driveway), Spruce Ave & 4th Ln, Tamarack Ave & Elm Ave – Request to mark crossings and install additional pedestrian devices (e.g., RRFB) due to schoolchildren crossing and motorists not yielding (Angelica Garundo Fletes, 2/19/2026)</p>	<p>Issue Recommendation – See work order. Reconstruct curb ramps at Elm/Tamarack. Reconstruct main driveway on Spruce, with 12' northern lane for fire trucks. [X] Notify school district and inquire about gate project to meet Fire requirements. (3/27/2026.)</p>

Item No.	Location – Description (Requested By, Date Requested)	Action (Study, No Action, etc.)
		<p>[X] Schedule work with school district and principal during Summer break June 2nd to July 31st.</p> <p>[] Pending acceptance test by Fire (Ian)</p>
2602-21	<p>Ridgeview Court – Request to paint curb red to reinforce existing “No Parking” signs due to narrow roadway and opposing traffic conflicts on steep grade (Jan Ramiro, 2/13/2026)</p>	<p>Issue Recommendation – Based on resident response and site visit, recommend enhancing parking restrictions.</p> <p>[X] Aidan to send letters and survey. (sent 4/24/2026)</p> <p>[X] John to discuss responses.</p>
2602-22	<p>Irving St & Hemlock Ave – Request for physical traffic calming measures following recent collision and ongoing speeding concerns (Erexson & Nerizza Yeo, 2/25/2026)</p>	<p>Pilot Study –</p> <p>[] PWS to install intersection devices and signs (Marissa to check with Art).</p> <p>[] Review performance of pilot 6-months after installation.</p>
2603-03	<p>JSB between Westborough and Hickey – Request to remove bike lane bollards on high-speed arterial. Reported danger due to lack of shoulder to pull over on. (Cory David, 3/1/2026)</p>	<p>Issue Recommendation – EOR does not support modifying current bollard spacing to 50ft as there is inadequate width in the bike lane regardless of delineators and it will create a false sense of security.</p> <p>[X] Jeff to request EOR concurrence (does not concur).</p>
2603-04	<p>Forbes Blvd and Eccles Ave – Reported danger to cyclists due to rail intersecting at an angle. (Chris Florkowski, 2/26/2026)</p>	<p>Deferred – Long-term solution requires rail abatement. Interim solution requires rail order revision.</p> <p>[] Tom to obtain rail approval. (Site meeting scheduled 6/3/2026)</p>
2604-02	<p>Oak Ave (Commercial Ave to Grand Ave) – Request to reopen roadway segment for parking (Westborough Congregation, 3/19/26)</p>	<p>Issue Recommendation – Addition of on-street parking conflicts with plans and policies.</p> <p>[X] Confirm emergency access with Fire (no concerns).</p> <p>[X] Confirm land use consistency with Planning.</p>
2604-08	<p>S. Airport Blvd at US-101/380 Off-Ramp – Bicycle and vehicle conflict; unclear jurisdiction (Ryan, 2026)</p>	<p>Deferred – Confirm jurisdiction before initiating operational review.</p> <p>[X] BLF to provide quotation for operational analysis.</p> <p>[X] John to confirm jurisdiction (pending response from Caltrans). (Marissa to provide)</p>
2604-09	<p>Mission St and Oak Ave – Crossing implementation request. Request from BPAC. See Planning’s study. Westbound sight distances, thoughts? (Arian Guzman, 4/1/2026)</p>	<p>Coordinate with BPAC; Defer Implementation – Share sight distance and collision data; consider improvements with corridor narrowing and potential signal/lighting upgrades.</p> <p>[] BKF to perform crossing study (5/20) and report back to TAC and BPAC.</p>

Item No.	Location – Description (Requested By, Date Requested)	Action (Study, No Action, etc.)
2605-01	Julie Ln and Galway Dr – AWSC request. High pedestrian crossing volume. Speeding concerns. (Nubia Marin, 4/28/26)	Discuss and Issue Recommendation – Does not meet warrants for AWSC based on volumes, but does based on sight distanced if measured per Duarte’s stop sign policy. [] Tom to make work order for AWSC. [X] John to share Duarte’s stop sign visibility policy with the Chief of Police and the City Engineer (schedule it).
2605-02	Chestnut Ave and Mission St – Request for RRFB crossing measures. Sightline issues for drivers turning left onto Chestnut, from SB Mission. Review signal timing. Current R10-15L installation non-effective. (Francheska Y. Bautista, 4/29/26)	Issue Recommendation – A-pillar blocks crosswalk visibility. Modify signal timing and phasing to provide protected pedestrian phase for eastern crosswalk, monitor queues for three months and make adjustments as needed. [] Monitor queues and review in August TAC meeting.
2605-03	Maple Ave and Spruce Ave – Request for disabled parking (blue curb) due to access constraints. Driveway slope is 8 degrees. 20ft-long parking spot in front of property. (Kathy Ruiz, 5/2/2026)	Issue Recommendation – Meets guidelines for on-street ADA parking. [] Tom to create work order for ADA space.
2605-04	Forrest View Dr and Sunnyside Dr – Request for daylighting reb curb implementation. Curvature when approaching intersection causes risk, sight distance issues. (Anonymous, 5/5/2026)	Refer to Enforcement – Location not in priority area. Recommend enhanced enforcement (email, call or voicemail). [X] Robert to dispatch.
2605-05	Pinehurst Wy and Manor Dr – AWSC request. (Internal, Patricia Colta, 5/7/2026)	Issue Recommendation – Due to limited sight distance and irregular control in neighborhood, recommend installation of TWSC, with stops for Manor Dr. [] Sam to make work order.
2605-06	Spruce Ave and 1st Ln – Request for additional red curb implementation south of applicant’s driveway. Issues accessing driveway safely. Current legal curb length is approximately 25ft. (Ramon Abonillas, 5/8/2026)	Refer to Enforcement – Location does not qualify for regulatory signing and marking enhancements. Recommend enhanced enforcement. [X] Rober to dispatch.
2605-07	W Orange Ave and Myrtle Ave – Request for street sweeping schedule to be implemented on W Orange Avenue. Miscellaneous vehicles parking long-term with no enforcement. (Ron Langi, 5/11/2026)	Refer to Enforcement – Confirmed both sides are on sweeping schedule and the west side was swept on 5/28/2026 at 9:22am. Signs aren’t recommended at this time. Respond with referral to enforcement.
2605-08	Oakmont Dr and Shannon Dr – Request for additional red curb implementation. Vehicles encroach into user’s	Refer to Enforcement – Location does not qualify for enhancements. Respond with referral to enforcement if driveway is blocked.

Item No.	Location – Description (Requested By, Date Requested)	Action (Study, No Action, etc.)
	driveway, visibility issues when entering or leaving driveway. (Zareh Sarkissian, 5/13/2026)	
2605-09	Chestnut Ave and Mission St – Request for safety cameras, frequent speeding, heavy traffic, vehicles failing to pull over for emergency vehicles, mention of pedestrian collision in late April (2605-02). Review pedestrian timing, additional traffic calming implementations. (Isabel Berrocal, 5/15/2026)	Discuss and Issue Recommendation – Similar to request 2605-02. Red light cameras are not currently allowed.
2605-10	413 Hemlock Ave – Request for disabled parking (blue curb) due to access constraints. Available off-street parking is inadequate for applicant’s current physical condition. (Beverly Kramer, 5/20/2026)	Issue Recommendation – Meets guidelines for on-street ADA parking. <input type="checkbox"/> Tom to write work order for ADA space.
2605-11	Spruce between Commercial and Railroad – Request for pro-time parking in the northbound direction. (Resident of 6 Spruce Ave, 5/26/2026)	Discuss – Resident notes that parking is pro-time in the southbound direction. <input type="checkbox"/> Tom and Sam to visit site and develop a consistent parking plan.
2605-12	770 Commercial Ave – Request for disabled parking (blue curb). (Juan Gomez, 5/26/2026)	Issue Recommendation – Meets guidelines for on-street ADA parking. <input type="checkbox"/> Sam to write work order for ADA space.
Open PWS Work Orders		
2302-A	Dead end at A St - Install gated NP signs	Resent to tommy on 2/20.
2406-1	Chestnut and Antoinette - Add signs, remove obsolete signs.	Parks work outstanding.
2409-2	Hillside Blvd West of Lincoln (north side) - Reconstruct 80ft of curb and gutter.	Art and the construction team will be scheduling this work.
2410-B	Orange and Canal - Add YIELD HERE TO PED signs	Waiting on Pool project to complete.
2502-04	Airport at Grand Ave - Remove NO TURN ON RED BALL signs, add louvers.	Electrical Shop
2503-01	Chestnut, east of Antoinette - Add median pavement marking.	On-hold
2505-13	Utah Ave and Harbor Way - Add crosswalk to east leg.	
2506-07	1st Ln (14 Maple Ave) - Add ADA on-street space.	

Item No.	Location – Description (Requested By, Date Requested)	Action (Study, No Action, etc.)
2507-05	S. Maple Ave, north of Southline/Huntington Ave - Install speed limit and crosswalk signs.	All signs installed. Waiting to install legends and shark's teeth.
2509-03	200A Armour Ave - Add ADA on-street space.	
2511-02	Grand Ave (825 Grand) - Install on-street accessible parking: blue curb + DP sign	
2511-03	Canal St / S. Linden Ave - Install IN ONLY / EXIT ONLY signage & markings for driveway circulation	
2511-04	Byron Dr / Newman Dr / Serra Ct - Convert intersections to all-way stop control	
2511-05	Miller Ave (100–200 blocks) - Replace missing “No Parking 3–5 AM” street-cleaning signs	
2511-06	Miller Ave (100–200 blocks) - Install “No Commercial Vehicles – Residential Area” signs	
2511-12	358–364 C Street - Adjust street-sweeping schedule	
2601-01	Utah and Harbor – Add stop warning signs.	
2601-02	Forbes and E. Grand – Add NTOR signs.	
2601-04	821 Linden Ave – Add ADA space.	
2601-06	SSFPD Entrance – Add regulatory turn signs. Remove arrow pavement marking.	
2601-09	9 Tanforan Ave – Grey out curb.	
2601-10	Orange and Circle Ct – Add red curb.	
2601-11	El Camino High School, Westborough Middle School – Add School Speed Zone signs.	
2601-14	Sign Hill Trailhead on Spruce – Add no parking signs.	
2602-17	435 Forbes Blvd -- Construct pedestrian crossing.	
2602-20	Irving St & Hemlock Ave -- Pilot traffic calming	
2602-22	Junipero Serra Blvd -- Modify delineator spacing.	
2603-05	901 Civic Campus Way -- Add red curb.	
2603-05A	Grand Ave between 321 Grand Ave and Cypress Ave – Add no parking signs.	

John Wilson, PE

5/29/2026

Name

Date

cc: Traffic Advisory Committee