COMMUNITY CIVIC CAMPUS: PHASE 1 - POLICE STATION






CONSULTANT TEAM




351 8th St, San Francisco, CA 94103 Peter McDonald Peter@sfmi.com



501 14th St, Oakland, CA 94612 DJ Hodson dhodson@langan.com



San Jose, CA 95110 Matt Davis MDavis@watrydesign.com



ANTOINETTE LANE AND CHESTNUT AVE. SOUTH SAN FRANCISCO, CA 94080




SOUTH SAN FRANCISCO

400 GRAND AVE SOUTH SAN FRANCISCO, CA 94080 (650) 877-8504 http://www.ssf.net/

SMITHGROUP

301 BATTERY STREET 7TH FLOOR SAN FRANCISCO, CA 94111 415.227.0100 smithgroup.com



Fire Protection Engineering

102 E Blithedale Ave # 1, Mill Valley, CA 94941 Thom Chiaramonte thom@ewcg.com

VOLUME I OF I

ISSUED FOR: PLANNING APPLICATION - 01

ISSUE DATE: 04-02-2019 10611.000

PROJECT SHEET INDEX

SHEET NUMBER SHEET NAME 00 GENERAL GP-0.0 PROJECT COVER SHEET GP-0.1 PROJECT SHEET INDEX AND GENERAL PROJECT INFORMATION 01 CIVIL CP1.01 EXISTING CONDITIONS	
GP-0.0 PROJECT COVER SHEET GP-0.1 PROJECT SHEET INDEX AND GENERAL PROJECT INFORMATION 01 CIVIL CP1.01 EXISTING CONDITIONS	
GP-0.0 PROJECT COVER SHEET GP-0.1 PROJECT SHEET INDEX AND GENERAL PROJECT INFORMATION 01 CIVIL CP1.01 EXISTING CONDITIONS	
GP-0.1 PROJECT SHEET INDEX AND GENERAL PROJECT INFORMATION 01 CIVIL CP1.01 EXISTING CONDITIONS	
01 CIVIL CP1.01 EXISTING CONDITIONS	
CP1.01 EXISTING CONDITIONS	
CP1.02 EXISTING CONDITIONS	
CP4.01 GRADING PLAN	
CP5.01 UTILITY PLAN	
03 LANDSCAPE	
LP101 MATERIALS PLAN	
LP102 PLANTING PLAN	
04 ARCHITECTURAL	
AP-0.1 ARCHITECTURAL ABBREVIATIONS AND SYMBOLS	
AP-1.1.0 ARCHITECTURAL SITE & EXISTING PHOTOS	
AP-1.2.1 ARCHITECTURAL SITE PLAN - PROPOSED	
AP-2.1.1 LEVEL 1 - FLOOR PLAN - WALL TAGS AND DIMENSIONS	
AP-2.2.1 LEVEL 2 - FLOOR PLAN - WALL TAGS AND DIMENSIONS	
AP-2.3.1 FLOOR PLAN - MAIN ROOF	
AP-4.1.1 EXTERIOR BUILDING ELEVATIONS - MAIN BUILDING	
AP-4.1.2 EXTERIOR BUILDING ELEVATIONS - MAIN BUILDING	
AP-4.1.3 EXTERIOR BUILDING ELEVATIONS - SUPPORT BUILDING	
AP-4.4.1 AXO VIEWS	
09 SIGNAGE	
SNP1.1 EXTERIOR SIGN PROGRAM 50% DD	
SNP1.2 EXTERIOR SIGN PROGRAM 50% DD	
10 LIGHTING DESIGN	
LDP1.2.1 SITE LIGHTING PLAN	
LDP2.1.1 FIRST LEVEL LIGHTING PLAN	
LDP2.2.1 SECOND LEVEL LIGHTING PLAN	
LDP7.1 LIGHTING FIXTURE SCHEDULE	
LDP10-1 LIGHTING CONING DIAGRAMS	
LDP10-2 LIGHTING CONING DIAGRAMS	







SmithGroup is a member

EMERGENCY RESPONSE SPEED AND ENHANCE PUBLIC SAFETY BY PROVIDING A STATE-OF-THE-ART 911 EMERGENCY RESPONSE CENTER. THE PROJECT WILL PROVIDE EFFICIENT SPACE FOR ADMINISTRATION, OPERATIONS, INVESTIGATION, PROPERTY STORAGE, EVID STORAGE, SUPPORT SERVICES, EMERGENCY DISPATCH, TRAINING, AND CLASSROOMS FOR POLICE AND COMMUNITY USE. KEY				
ENDERGY DESCRIPTION INFORMED TO BREAK THE LEBS OF CERE BULLING FOOTING ADMINISTRATE OF THE CASE OF CERE BULLING CERE BULLING CERE BULLING CERE ADMINISTRATE ADMINISTRATE OF THE CASE OF CERE BULLING CERE BULLING CERE ADMINISTRATE ADMINISTRATE OF THE CASE OF CERE BULLING CERE ADMINISTRATE ADMINISTRATE OF THE CASE OF CERE BULLING CERE ADMINISTRATE ADMINISTRATE OF THE STATE ADMINISTRATE OF THE ADMINISTRATE OF THE STATE ADMINISTRATE OF THE STATE ADMINISTRATE OF THE STATE ADMINISTRATE OF THE ADMINISTRATE OF THE STATE ADMINISTRATE OF THE STATE ADMINISTRATE OF THE STATE ADMINISTRATE OF THE ADMINISTRATE OF THE ADMINISTRATE ADMINISTRATE OF THE ADMINISTRATE OF THE ADMINISTRATE ADMINISTRATE OF THE ADMINISTRATE OF THE ADMINISTRATE ADMINISTRATE OF THE ADMINISTRATE OF THE ADMINISTRATE OF THE ADMINISTRATE ADMINISTRATE OF THE ADMINISTRATE OF THE ADMINIST	PROJECT SUSTAINABILITY STATEMENT			PROJECT DESCRIPTION
DESIGN REVIEW DISTRICT: CENTRAL CITY ZONING DISTRICT: EL CAMINO REAL/CHESTNUT MIXED USE + HGH DENSITY GENERAL PLAN: EL CAMINO REAL/CHESTNUT AVENUE GENERAL PLAN: EL CAMINO REAL/CHESTNUT AVENUE BULDING USE: PUBLIC SAFETY BULDING NON SUPPORT BULDING NON SUPPORT BULDING) LOT SIZE: +1.18 ACRES PORPOSED REQUIRED BULDING HEIGHT: 40°4" 100 CONFRECT: 200°4" 25.8373 AU23-54.81% 9% MAX GENERACKS ON ANTIONETE LANE: 15°4" FROM CURB SETEMACKS ON ANTIONETE LANE:	AND SUNCTIONNOLI	ADMINISTERED BY THE GR MANUAL SECTION TITLED ' SPECIFIC CRITERIA TO BE level here] CERTIFICATION B	EEN BUILDING CERTIFICATION INSTITUTE (GBCI). THE PROJECT SUSTAINABLE DESIGN REQUIREMENTS" OUTLINES THE ACHIEVED IN THIS PROJECT TO OBTAIN LEED [insert certification	THE PROJECT WILL PROVIDE EFFICIENT SPACE FOR ADMINISTRATION, OPERATIONS, INVESTIGATION, PROPERTY STORAGE, EVIDEN STORAGE, SUPPORT SERVICES, EMERGENCY DISPATCH, TRAINING, AND CLASSROOMS FOR POLICE AND COMMUNITY USE. KEY CONSIDERATIONS IN THE DESIGN INCLUDE POLICE TRAINING, EDUCATION, AND OPPORTUNITIES FOR THE PUBLIC TO INTERFACE WI
ZONING DISTRICT: EL CAMINO REAL/CHESTNUT MIZE USE - HIGH DENSITY GENERAL PLAN: EL CAMINO REAL MIXED USE (ECRMX) AREA PLAN: ANTOINETTE LANE/CHESTNUT AVENUE BUILDING USE: PUBLIC SAFETY BUILDING MAD SUPPORT BUILDING) LOT SIZE: +1.8 ACRES BUILDING HEIGHT: NO.000000000000000000000000000000000000	PR	OJECT INFO	ORMATION	
	ZONING DISTRICT: GENERAL PLAN: AREA PLAN: BUILDING USE: LOT SIZE: BUILDING HEIGHT: NUMBER OF STORIES: LOT COVERAGE: GROUND FLOOR HEIGHT: SETBACKS: SETBACKS ON CHESTNUT AVE: SETBACKS ON ANTOINETTE LANE: PRIVATE PARKING STALLS: COVERED PARKING STALLS:	EL CAMINO REAL/CHESTN EL CAMINO REAL MIXED U ANTOINETTE LANE/CHEST PUBLIC SAFETY BUILDING +/- 1.8 ACRES <u>PROPOSED</u> 40'-0" 2 25,563/73,423=34.81% 15FT 15-0" 15'-0" 72 54	ISE (ECRMX) INUT AVENUE (MAIN BUILDING AND SUPPORT BUILDING) REQUIRED 120'-0" CBC 90% MAX 15'-0" FROM CURB 15'-0" FROM CURB	


VICINITY MAP


PROJECT GENERAL NOTES

THE FOLLOWING PROJECT GENERAL NOTES APPLY TO THE ENTIRE DRAWING SET AND ARE NOT SPECIFIC TO ANY ONE DISCIPLINE, UNLESS OTHERWISE NOTED:

- THE CONSTRUCTION DOCUMENTS (DRAWING SET AND SPECIFICATIONS) ARE COMPLEMENTARY AND ESTABLISH DETAILED MINIMUM REQUIREMENTS FOR THE DESIGN AND CONSTRUCTION OF THE PROJECT.
- THIS DRAWING SET, WHEN COMPLETE, CONSISTS OF ALL SHEETS LISTED BY THE SHEET INDEX. THE WORK DESCRIBED BY THE DRAWINGS OF ANY ONE DISCIPLINE MAY BE AFFECTED BY THE WORK DESCRIBED ON DRAWINGS OF ANOTHER DISCIPLINE AND MAY REQUIRE REFERENCE TO DRAWINGS OF ANOTHER DISCIPLINE. PARTIAL DRAWING SETS ARE INCOMPLETE. DO NOT DISTRIBUTE OR UTILIZE PARTIAL DRAWINGS SETS.
- . COLUMN GRID LINES IDENTIFIED BY A LETTER DESIGNATION ARE PARALLEL, UNLESS OTHERWISE NOTED. COLUMN GRID LINES IDENTIFIED BY A NUMBER DESIGNATION ARE PARALLEL AND ARE PERPENDICULAR TO THOSE WITH LETTER DESIGNATIONS, UNLESS OTHERWISE NOTED.
- DISCIPLINE GENERAL NOTES, SYMBOLS AND DEFINITIONS APPLICABLE TO EACH DISCIPLINE'S DRAWINGS MAY BE FOUND AT THE FRONT OF EACH DISCIPLINE'S PORTION OF THE DRAWING SET AND ARE LISTED AS PART OF THE OVERALL PROJECT SHEET INDEX.
- THE 'ARCHITECTURAL' SERIES DRAWINGS TAKE PRECEDENCE FOR THE FINISHED APPEARANCE AND LOCATION OF ALL EXPOSED ELEMENTS OF THE WORK OF ALL TRADES, INCLUDING THAT WORK WHICH IS ILLUSTRATED PRIMARILY ON DRAWINGS OF OTHER DISCIPLINES.
- THE DRAWINGS MAY MAKE REFERENCE TO AND/OR ILLUSTRATE ITEMS WHICH ARE NOT PART OF THE WORK OF THE CONTRACT. THESE "NOT IN CONTRACT" ITEMS AS INDICATED ARE REFERENCED AND/OR ILLUSTRATED FOR THE CONTRACTOR'S REFERENCE, INFORMATION AND COORDINATION ONLY.

- G. EXISTING CONDITIONS, IF SHOWN, ARE FROM AVAILABLE RECORD DRAWINGS AND OR VISUAL FIELD SURVEYS. THE CONTRACTOR SHALL VERIFY ACTUAL EXISTING CONDITIONS AT THE SITE PRIOR TO SUBMITTING A BID, AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES.
- H. TAKE PRECAUTIONS TO MAINTAIN AND PROTECT NEW WORK AS WELL AS EXISTING SYSTEMS AND ELEMENTS, IF ANY, WHICH ARE TO REMAIN. ANY DAMAGE TO SUCH SYSTEMS AND ELEMENTS SHALL BE IMMEDIATELY REPAIRED IN A MANNER ACCEPTABLE TO THE ARCHITECT. IF SATISFACTORY REPAIRS CANNOT BE MADE, REPLACE SYSTEMS AND ELEMENTS WITH "LIKE NEW" QUALITY ACCEPTABLE TO THE ARCHITECT. ALL REPAIRS AND REPLACEMENT COST SHALL BE THE FINANCIAL RESPONSIBILITY OF THE RESPONSIBLE PARTY.
- J. ALL PARTS OF THE WORK, INCLUDING MATERIALS, METHODS, ASSEMBLIES, ETC., MUST COMPLY WITH THE REQUIREMENTS OF THE GOVERNING CODES AND REGULATIONS OF ALL FEDERAL, STATE AND LOCAL AUTHORITIES HAVING JURISDICTION OVER THE PROJECT, AS WELL AS THOSE GREATER REQUIREMENTS INDICATED BY THE CONTRACT DOCUMENTS. NO PART OF THE CONTRACT DOCUMENTS MAY BE CONSTRUED TO REQUIRE OR PERMIT WORK CONTRARY TO A GOVERNING CODE OR REGULATION
- K. IDENTIFY AND NOTIFY THE ARCHITECT/ENGINEER OF CONFLICTS BETWEEN THE WORK OF DIFFERENT PARTIES AT THE EARLIEST POSSIBLE DATE SO AS TO ALLOW REASONABLE AND ADEQUATE TIME FOR THE CONFLICT TO BE RESOLVED WITHOUT DELAYING THE WORK. ALL DEVIATIONS FROM THAT WHICH IS REQUIRED BY THE CONTRACT DOCUMENTS MUST BE APPROVED IN ADVANCE BY THE ARCHITECT/ENGINEER AND OWNER.
- L. REVIEW AND COORDINATE THE WORK OF ALL SUB-CONTRACTORS, TRADES AND SUPPLIERS WITH THE REQUIREMENTS OF THE CONTRACT BEFORE COMMENCING CONSTRUCTION, AND ASSURE THAT ALL PARTIES ARE AWARE OF ALL REQUIREMENTS, REGARDLESS OF WHERE THE REQUIREMENTS OCCUR IN THE CONTRACT DOCUMENTS, WHICH MIGHT AFFECT THE WORK OF THAT PARTY.






<u>SYMBOLS</u>


¢ ¢••¢	AREA/ SITE LIGHT
•	BOLLARD
°C0	CLEAN OUT
\ll	FIRE DEPT. CONNECTION
ÿ	FIRE HYDRANT
	GUY ANCHOR
D -	GUY POLE
\bowtie	GAS VALVE
-●- _{JP}	JOINT POLE
-0	SIGN
¢—e	STREET LIGHT
Ŷ	TRAFFIC SIGNAL
 ې ۲	TRAFFIC SIGNAL (ARM)
\aleph	WATER VALVE
\bullet	SITE BENCHMARK
۲	FOUND MONUMENT AS NOTED


LINE LEGEND

· · · · · · · · · · · · · · · · · · ·	BUILDING LINE	
X X	FENCE LINE	
/ / /	MONUMENT LINE	
	SUBJECT BOUNDARY LINE	
	ADJACENT LOT LINE	
	TIE LINE	
	EASEMENT LINE	
	STREET CENTER LINE	
	OVERHEAD ELECTRIC LINE	
T T T	COMMUNICATION LINE	_
——Е ———Е ———Е ———	ELECTRIC LINE	
2"G 2"G	X-IN NATURAL GAS LINE	
6"W6"W	X-IN WATER LINE	
SLSL	SIGNAL LINE	
——————————————————————————————————————	X-IN STORM DRAIN LINE	
12''SS 12''SS	X-IN SANITARY SEWER LINE	

ASPHALTIC CONCRETE AREA DRAIN ASSESSORS PARCEL NUMBER ACCESS RAMP BRASS DISK BACKFLOW PREVENTION DEVICE BUILDING BENCHMARK BOLLARD BACK OF WALK CABINET CABLE TELEVISION CATCH BASIN CENTERLINE CORRUGATED METAL PIPE CLEAN OUT COLUMN COMMUNICATION MANHOLE CONCRETE CORNER CORNER RECORD CULVERT DROP INLET DOCUMENT NUMBER DRIVEWAY ELECTRIC BOX ELEVATION ELECTRIC ELECTRIC MANHOLE EDGE OF PAVEMENT EXISTING FACE OF CURB FIRE DEPARTMENT CONNECTION FINISH FLOOR FIRE HYDRANT FLOW LINE FENCE FOUND GAS LINE GAS METER GROUND GUYPOLE GAS VALVE HANDICAP RAMP INTERSECTION INVERT IRON PIPE JOINT POLE LOOP DETECTOR BOX LIP OF GUTTER MANHOLE MONUMENT OFFICIAL RECORD PULL BOX POST INDICATOR VALVE PROPERTY LINE PROFESSIONAL LAND SURVEYOR POLYVINYL CHLORIDE PIPE RIGHT-OF-WAY REBAR & CAP REINFORCED CONCRETE PIPE STORM DRAIN STORM DRAIN MANHOLE PED. SERVICE PEDESTAL STREET LIGHT STREET LIGHT BOX SQUARE FOOT SANITARY SEWER SANITARY SEWER CLEANOUT SANITARY SEWER MANHOLE SIDEWALK TOP OF CURB TRASH ENCLOSURE TELEPHONE TRAFFIC SIGNAL TRAFFIC SIGNAL BOX TELEPHONE VAULT BOTTOM OF WALL TOP OF WALL UTILITY BOX UNKNOWN UTILITY VALLEY GUTTER VAULT WATER BOX WHITE LINE WATER METER WATER MANHOLE WATER VALVE







BKF Engineers

CA DR

Ĩ, Ľ

0

0

 \bigcirc

 \bigcirc

 \bigcirc

 $\overline{\bigcirc}$

 \mathbb{Z}

 \triangleleft

Z

 $\overline{}$

 \bigcirc

|ຑ|ă|ā|₹|)rawing Number:

TOPO

1 of 1

 $\downarrow \downarrow$

SUR

 \triangleleft

Ŷ

 \bigcirc

 \geq

 \succ

 \mathbf{Y}

 \triangleleft

 \square

NNO

 \square

 \bigcirc

 $\bigcirc \leftarrow$ \triangleleft

- <u></u>

255 SHOREI SUITE 200 REDWOOD C (650) 482-

	S57°58'54"W
	AC AC
40.39	24 TC .93 AC
AC	49.90'
	//

ABBREVIATIONS		
AC	ASPHALTIC CONCRETE	INV
AD	AREA DRAIN	IP
APN	ASSESSORS PARCEL NUMBER	JP
AR	ACCESS RAMP	LD
BD	BRASS DISK	LG
BFP	BACKFLOW PREVENTION DEVICE	MF
BLDG	BUILDING	MC
BM	BENCHMARK	OR
BOL	BOLLARD	PB
BW	BACK OF WALK	PI∖
CAB	CABINET	PL
CATV	CABLE TELEVISION	PLS
СВ	CATCH BASIN	PV
CL	CENTERLINE	RO
СМР	CORRUGATED METAL PIPE	RB
СО	CLEAN OUT	RC
COL	COLUMN	SD
COMM	COMMUNICATION MANHOLE	SD
CONC	CONCRETE	SE
COR	CORNER	ST
CR	CORNER RECORD	SLI
CUL	CULVERT	SQ SS
DI	DROP INLET	SS(
DIP	DUCTILE IRON PIPE	SSI
DN	DOCUMENT NUMBER	SW
DWY	DRIVEWAY	TC
EB	ELECTRIC BOX	TE
EL	ELEVATION	TE
ELEC	ELECTRIC	TS
EMH	ELECTRIC MANHOLE	TS
EP	EDGE OF PAVEMENT	TV
EX	EXISTING	W-
FC	FACE OF CURB	W-
FDC	FIRE DEPARTMENT CONNECTION	UB
FF	FINISH FLOOR	UN
FH	FIRE HYDRANT	UT
FL	FLOW LINE	VC
FNC	FENCE	VL
FND	FOUND	WE
GL	GAS LINE	W-
GM	GAS METER	W-
GND		WL
GP	GUYPOLE	WN
GV	GAS VALVE	W

HANDICAP RAMP

DISTANCES SHOWN ARE IN FEET AND DECIMALS THEREOF.

INTERSECTION

INV
IP
JP
LDB
LG
MH
MON OR
PB
PIV
PL
PLS
PVC
ROW
RBC
RCP SD
SDMH
SERV. PED.
STLT
SLB
SQ.FT.
SS
SSCO SSMH
SW
тс
TE
TEL
TS
TSB
T∨LT W-B
W-B W-T
UB
UNK
UTIL
VG
VLT WB
WB W-B
W-T
WL
WM
WMH
WV

INVERT IRON PIPE JOINT POLE LOOP DETECTOR BOX LIP OF GUTTER MANHOLE MONUMENT OFFICIAL RECORD PULL BOX POST INDICATOR VALVE PROPERTY LINE PROFESSIONAL LAND SURVEYOR POLYVINYL CHLORIDE PIPE RIGHT-OF-WAY REBAR & CAP REINFORCED CONCRETE PIPE STORM DRAIN STORM DRAIN MANHOLE SERVICE PEDESTAL STREET LIGHT STREET LIGHT BOX SQUARE FOOT SANITARY SEWER SANITARY SEWER CLEANOUT SANITARY SEWER MANHOLE SIDEWALK TOP OF CURB TRASH ENCLOSURE TELEPHONE TRAFFIC SIGNAL TRAFFIC SIGNAL BOX TELEPHONE VAULT BOTTOM OF WALL TOP OF WALL UTILITY BOX UNKNOWN UTILITY VALLEY GUTTER VAULT WATER BOX WALL BOTTOM WALL TOP WHITE LINE WATER METER WATER MANHOLE WATER VALVE

BASIS OF BEARINGS:

HCR

INT

BEARINGS AND DISTANCES SHOWN ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD83). ALL DISTANCES SHOWN ARE GROUND LEVEL DISTANCES.

BENCHMARK:

THE ELEVATIONS SHOWN ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88 DATUM).

THE SITE BENCHMARK IS A MAG NAIL AND WASHER AT THE APPROXIMATE CENTER OF ARROYO DRIVE AND IS 108'± NORTHEASTERLY OF THE CAMARITAS AVENUE AND ARROYO DRIVE INTERSECTION, AS SHOWN ON THIS SHEET. ELEVATION = 64.24 FEET.

NOTES:

• A RECORD OF SURVEY WILL BE PREPARED AND SUBMITTED TO THE COUNTY SURVEYOR FOR REVIEW PER PLS ACT.

UTILITY NOTE:

THE UTILITY LINES SHOWN ON THIS PLAN ARE DERIVED FROM SURFACE OBSERVATIONS AND ARE APPROXIMATE ONLY. NO WARRANTY IS IMPLIED AS TO THE ACTUAL LOCATION, SIZE OR PRESENCE OF ANY LINES SHOWN HEREON OR ANY ADDITIONAL UTILITY LINES NOT SHOWN ON THIS PLAN.


SURVEYOR'S STATEMENT


THIS MAP CORRECTLY REPRESENTS A SURVEY MADE BY ME OR UNDER MY DIRECTION; IN CONFORMANCE WITH THE REQUIREMENTS OF THE PROFESSIONAL LAND SURVEYORS' ACT.


OF CALL





03/27/2019 DATE




















SHEET NOTES

- CONCRETE SIDEWALK TO BE PER CITY OF SOUTH SAN FRANCISCO STANDARD.
- PARKING LOT TO BE HEAVY DUTY ASPHALT FOR FIRE TRUCK LOADING.
- SEE GRADING PLAN FOR EARTHWORK AND LANDFORMS.
- SEE SHEETS LP500-LP501 FOR SITE DETAILS.
- SEE OTHER DISCIPLINE DRAWINGS AND SPECIFICATIONS FOR FURTHER INFORMATION REGARDING MATERIALS NOT DESCRIBED ON THIS PLAN.


	LEGEND
	LIMIT OF WORK
	HEAVY DUTY ASPHALT PAVEMENT, TYP.
	CONCRETE PAVEMENT WITH SAW-CUT JOINTS, TYP.
	CONCRETE UNIT PAVERS ON STANDARD CONCRETE BASE. 3 - COLOR PAVER PATTERN.
	SYNTHETIC TURF DOG RELIEF AREA
	STONE MAINTENANCE EDGE, TYP.
	CURB AND GUTTER. REFERENCE CIVIL DRAWINGS.
000	SECURITY BOLLARD
	TABLE AND CHAIRS
	BIKE LOOP
\bigcirc	LITTER RECEPTACLE
	BENCH
	SECURITY GATE AND FENCE
0 0	ALUMINUM FLAG POLE, MIN. 25 FT. HEIGHT, WITH CONCRETE FOOTING




COMMUNITY CIVIC CENTER CITY OF SOUTH SAN FRANCISCO ANTOINETTE LANE AND CHESTNUT AVE. SOUTH SAN FRANCISCO , CA 94080

SMITHGROUP

301 BATTERY STREET 7TH FLOOR SAN FRANCISCO, CA 94111 415.227.0100 smithgroup.com



SHEET NUMBER



SHEET NOTES

- 1. ALL TREES SHALL BE 36-INCH BOX.
- 2. ALL ORNAMENTAL TREES TO BE 36-INCH BOX.
- 3. ALL SHRUBS TO BE 5-GALLON SIZE SHRUBS.
- 4. SEE SHEET LP510 FOR PLANTING DETAILS AND PLANT SCHEDULE.

LEGEND

_____ LIMIT OF WORK SHADE TREE, TYP. 36" BOX +ORNAMENTAL TREE, TYP.

 \oplus \odot \odot SHRUB, TYP. 5 GALLON


BIO INFILTRATION PLANTER, TYP.

NATIVE GRASS AND GROUNDCOVER 1, TYP.

NATIVE GRASS AND GROUNDCOVER 2, TYP.


STORMWATER TREATMENT AREA

LAWN



		ARC	CHITECT	URAL ABBREVIATION	NS	
	AB ACT ACP ACS PNL AD	ANCHOR BOLT ACOUSTICAL CEILING TILE ACOUSTICAL CEILING PANEL ACCESS PANEL AREA DRAIN	G GA GAL GALV GB	GAS GAUGE, GAGE GALLON GALVANIZED GRAB BAR	Q QT QTR QTY R	QUARRY TILE QUARTER QUANTITY
	ADDL ADH ADJ AFF AFG AFS AGGR ALUM	ADDITIONAL ADHESIVE ADJUSTABLE ADJACENT ABOVE FINISH FLOOR ABOVE FINISH GRADE ABOVE FINISH SLAB AGGREGATE ALUMINUM	GC GFRC GL GLU LAM GLZ GR GVL GYP	GENERAL CONTRACTOR GLASS FIBER REINFORCED CONCRETE GLASS FIBER REINFORCED GYPSUM GLASS GLUE LAMINATED GLAZING GRADE OR GRADING GRAVEL GYPSUM	R RA RAD RB RCP RCPT RD	RISER RETURN AIR RADIUS RESILIENT BASE REFLECTED CEILING PLAN RECEPTACLE ROOF DRAIN
_	ALT ANOD APPROX ARCH ASPH AVG B	ALTERNATE ANODIZED APPROXIMATE(LY) ARCHITECT(URAL) ASPHALT AVERAGE	GYP BD	GYPSUM BOARD GYPSUM PLASTER HIGH HOSE BIBB HOLLOW CORE	RECT REF REFR REG REINF REQD REQT RESIL RET	RECTANGULAR REFERENCE REFRIGERATOR REGISTER REINFORCE (D) (ING) (MENT) REQUIRED REQUIREMENT RESILIENT RETURN
	BB BD BTWN BITUM BLDG BM BOD	BULLETIN BOARD BOARD BETWEEN BITUMINOUS BUILDING BENCHMARK BASIS OF DESIGN	HD HDBD HDW HGT HM HNDRL HORIZ	HEAD HARDBOARD HARDWARE HARDWOOD HEIGHT HOLLOW METAL HANDRAIL HORIZONTAL	REV RF RH RHMS RHWS RM RND RO	REVISION RESILIENT FLOORING RIGHT HAND ROUND HEAD MACHINE SCREW ROUND HEAD WOOD SCREW ROOM ROUND ROUND ROUGH OPENING
_	BOT BOS BRG BSMT BUR C	BOTTOM BOTTOM OF STEEL BEARING BASEMENT BUILT UP ROOFING SYSTEM	HPT HR HVAC HW ID	HIGH POINT HOUR HEATING-VENTILATION-AIR CONDITIONING HOT WATER INSIDE DIAMETER	row rwl S SA SB	RIGHT OF WAY RAIN WATER LEADER SOUTH SUPPLY AIR SPLASH BLOCK
	CAB CB CCR CCT CCTV CG CEM CER	CABINET CATCH BASIN CARD CONTROL READER CUBICLE CURTAIN TRACK CLOSED CIRCUIT TELEVISION CORNER GUARD CEMENT, CEMENTITIOUS CERAMIC	IN INCAND INCL INFO INSUL INTR INV IVT	INCH INCANDESCENT INCLUDE, INCLUDING INFORMATION INSULATION INTERIOR INVERT INTRAVENOUS TRACK	SC SCHED SCRN SD SE SECT SEG SEP	SOLID CORE SCHEDULE SCREEN STORM DRAIN SOUTHEAST SECTION SEGMENT SEPARATION OR SEPARATE
	CH BD CI CJ CL CLG CLR CMU CNTR	CHALKBOARD CAST IRON CONTROL JOINT CENTER LINE CEILING CLEAR CONCRETE MASONRY UNIT COUNTER	J JAN JST JT K	JANITOR JOIST JOINT	SEP JT SHT SHWR SHV SIM SK SMS SP	SEPARATION JOINT SHEET, SHEETING SHOWER SHELVES, SHELVING SIMILAR SINK SHEET METAL SCREW SPACE, SPACED, SPACING
-	CNTR COL CONC CONF CONSTR CONSTR CONT CONTR CORR	COLUMN CONCRETE CONFERENCE CONNECTION CONSTRUCTION CONTINUOUS CONTRACTOR CORRUGATED	KG KIT KPL KS	KILOGRAM KITCHEN KICK PLATE KNEE SPACE	SPEC SPKLR SQ SS SSK SST ST	SPECIFICATION SPRINKLER SPEAKER SQUARE SANITARY SEWER SERVICE SINK STAINLESS STEEL STREET
	CPT CSK CSP CSWK CT CU CW	CARPET COUNTERSUNK COMBINATION STANDPIPE CASEWORK CERAMIC TILE CUBIC COLD WATER	L LAB LAM LAV LB LED LF LG	LENGTH, LONG LABORATORY LAMINATE, LAMINATION LAVATORY POUND LIGHT EMITTING DIODE LINEAR FOOT LENGTH	STA STAG STC STD STL STOR STRUCT STS	STATION STAGGERED SOUND TRANSMISSION COEFFICIENT STANDARD STEEL STORAGE STRUCTURAL SELF-TAPPING STEEL
	D DBL DBL ACT DEG DEMO DEPT	DEPTH DOUBLE DOUBLE ACTING DEGREE DEMOLISH DEPARTMENT	LIN LL LPT LT LT WT LTG LVR	LENGTH LINEAR LEAD LINED LOW POINT LIGHT LIGHT WEIGHT LIGHTING LOUVER	SUSP SUSP CLG SVCE SW SYMM SYST	SUSPENDED SUSPENDED CEILING SERVICE SOUTHWEST SYMMETRICAL SYSTEM
	DET DF DIA DIAG DIFF DIM DIM PT DISP	DETAIL DRINKING FOUNTAIN DIAMETER DIAGONAL DIFFUSER DIMENSION DIMENSION POINT DISPENSER	M MACH MATL MATV MAX MB	METERS MACHINE MATERIAL MASTER ANTENNA TELEVISION SYSTEM MAXIMUM MACHINE BOLT	T T&B T&G TC TD TEL TEMP	TREAD TOP AND BOTTOM TONGUE AND GROOVE TOP OF CONCRETE, TOP OF CURB TRENCH DRAIN TELEPHONE TEMPORARY
	DIST DN DR DS DSP DT DWG DWGS	DISTANCE DOWN DRAIN DOWNSPOUT DRY STANDPIPE DRAPERY TRACK DRAWING DRAWINGS	MC MDO MECH MED MEMB MFR MH MIN	MEDICINE CABINET MEDIUM DENSITY OVERLAY MECHANICAL MEDIUM MEMBRANE MANUFACTURER MANHOLE MINIMUM	THERM THK THRES THRU TMPD GL TO TOR TOS	THERMAL THICK, THICKNESS THRESHOLD THROUGH TEMPERED GLASS TOP OF TOP OF RAILING TOP OF STEEL
	(E) EA EDR EG EIFS EL	EXISTING EACH EQUIPMENT DRAWING EDGE GUARD EXTERIOR INSULATION FINISH SYSTEM ELEVATION	MISC MLDG MM MO MOD MTD MTG MVBL MULL	MISCELLANEOUS MOLDING MILLIMETERS MASONRY OPENING MODULE, MODULAR MOUNTED MOUNTING MOVABLE MULLION	TOT TOW TP TTB TV TYP U	TOTAL TOP OF WALL TOP OF PAVEMENT TELEPHONE TERMINAL BOARD TELEVISION TYPICAL
	ELAST ELEC ELEV EMER ENCL ENGR EOS EPD	ELASTOMERIC ELECTRICAL ELEVATOR EMERGENCY ENCLOSURE ENGINEER EDGE OF SLAB ELECTRICAL PANEL	(N) NA NAT NE NIC	NEW NOT APPLICABLE NATURAL NORTHEAST NOT IN CONTRACT	UC UL UON UPS UTIL V	UNDER COUNTER UNDERWRITERS LABORATORIES UNLESS OTHERWISE NOTED UNINTERRUPTABLE POWER SUPPLY UTILITY
	EPB EPDM EQ EQL SP EQUIP EQUIV ESCAL EST EWC	ELECTRICAL PANEL BOARD ETHYLENE PROPYLENE DIENE MONOMER EQUAL EQUALLY SPACED EQUIPMENT EQUIVALENT ESCALATOR ESTIMATE(D) ELECTRIC WATER COOLER	NO NOM NRC NTS NW	NUMBER NOMINAL NOICE REDUCTION COEFFICIENT NOT TO SCALE NORTHWEST	VAC VB VCT VERT VEST VIF VIT	VACUUM VALVE BOX VINYL COMPOSITION TILE VERTICAL VESTIBULE VERIFY IN FIELD VITREOUS
	EXC EXH EXP EXP JT EXT F	EXCAVATED EXHAUST EXPANSION EXPANSION JOINT EXTERIOR	OC OA OD OFCI OFOI OPP ORD OVHD	ON CENTER OVERALL OUTSIDE DIAMETER OWNER FURNISHED-CONTRACTOR INSTALLED OWNER FURNISHED-OWNER INSTALLED OPPOSITE OVERFLOW ROOF DRAIN OVERHEAD	VP VOL VWC W W W	VENT PIPE VOLUME VINYL WALL COVERING WEST WITH
	F/F FA FAS FB FCU FD FDC FDN	FACE TO FACE FIRE ALARM FIRE ALARM STATION FLAT BAR FAN COIL UNIT FLOOR DRAIN FIRE DEPARTMENT CONNECTION FOUNDATION	oz P PA PART PBD PBX	OUNCE PUBLIC ADDRESS PARTIAL PARTICLEBOARD PRIVATE TELEPHONE EXCHANGE	W/O W/W WD WDW WGL WCHR WM	WITHOUT WALL TO WALL WATER CLOSET OR WALL COVERING WOOD WINDOW WIRE GLASS WHEELCHAIR WIRE MESH
	FEC FE FHC FH/FEC FHMS FHWS FHY	FIRE EXTINGUISHER CABINET FIRE EXTINGUISHER FINISH FACE FIRE HOSE CABINET FIRE HOSE / FIRE EXTINGUISHER CABINET FLAT HEAD MACHINE SCREW FLAT HEAD WOOD SCREW FIRE HYDRANT	PCF PCI PERF PERIM PERM PERP PI PL	POUNDS PER CUBIC FOOT POUNDS PER CUBIC INCH PERFORATED PERIMETER PERMANENT PERPENDICULAR POINT OF INTERSECTION PLATE	WO WPT WSCT WSP WT WTHPRF WTRPRF WWF	WHERE OCCURS WORKING POINT WATER RESISTANT WAINSCOT WET STANDPIPE WEIGHT WEATHERPROOF WATERPROOF WELDED WIRE FABRIC
	FLAM FLASH FLEX FLUOR FO FSB FSTNR FT FTG	FLAMMABLE FLASHING FLEXIBLE FLUORESCENT FACE OF FOLDING SHOWER BENCH FASTENER FOOT, FEET FOOTING	PLAM PLAS PLBG PLF PLYWD PNEU PNL PNL BD PNT	PLASTIC LAMINATE PLASTER PLUMBING POUNDS PER LINEAR FOOT PLYWOOD PNEUMATIC PANEL PANEL BOARD PAINT	XFMR	WELDED WIRE MESH
	FURN FXTR	FURNITURE FIXTURE	PORT PP PR PRCST PREP PREFAB PRKG	PORTABLE PUSH PLATE PARTS PER MILLION PAIR PRECAST PREPARATION PREFABRICATION PARKING	YD	YARD
			PROJ PROP PSF PSI PT PTN PTS PVC	PROJECT PROPERTY POUNDS PER SQUARE FOOT POUNDS PER SQUARE INCH POINT PARTITION PNEUMATIC TUBE STATION POLYVINYL CHLORIDE		
			PVG PVMT PWR	PAVING PAVEMENT POWER		

	ECTURAL FLOC				CHITECTURA
DIMENSION SYMBOLS	DIMENSION SHOWN TO: - STRUCTURAL GRID	FIRE EXTINGUISHER S	YMBOLS	BUILDING SECTION	— WALL SECTION NUMBER
10' - 0"	- LAYOUT GRID - CENTERLINE OF ASSEMBLY - CENTER OF OPENING - CENTER OF EQUIP/ FURN	FEXT C	FIRE EXTINGUISHER BRACKET MOUNTED	1 SIM A101	- DIRECTION OF VIEW
	GRID OR CENTER LINE	FEC	FIRE EXTINGUISHER SURFACE MOUNTED		— SHEET WHERE DRAWN
10' - 0"	DIMENSION SHOWN TO: - PARTITION ASSEMBLY	FEC	FIRE EXTINGUISHER CABINET SEMI-RECESSED		
	- EDGE OF DOOR OPENING - OTHER BUILDING ELEMENT - WORKING POINT INDICATED ON DETAIL	FEC	FIRE EXTINGUISHER CABINET	WALL SECTION	— WALL SECTION NUMBER
ENERAL SYMBOLS		PLUMBING SYMBOLS	RECESSED	A101	— SHEET WHERE DRAWN
	BASE CABINETS		TOILET - WALL HUNG		— DIRECTION OF VIEW
	BASE AND WALL CABINETS		URINAL - FLOOR/WALL HUNG		ON
	VALL CABINETS		LAVATORY - COUNTERTOP	AX.X.X X	 ELEVATION NUMBER AND DIRECTION
L,	FOILET PARTITION AND DOOR		LAVATORY - PEDESTAL/WALL HUNG	DETAIL REFERENCI	— SHEET WHERE DRAWN
				A101 SIM	— DETAIL NUMBER
	HANDRAIL		UTILITY SINK		 DETAIL NOMBER SHEET WHERE DRAWN, HYPHEN INDICATES DETAIL ON SAME SHEET.
<u> </u>	BUMPER GUARD		DRINKING FOUNTAIN / EWC	$\begin{pmatrix} & \end{pmatrix}$	ON SAME SHEET.
	CORNER GUARD		JANITOR'S RECEPTOR		
EG EG	EDGE GUARD		BATHTUB	SECTION DETAIL R	EFERENCE
			SHOWER	1 SIM A101	- ELEVATION NUMBER AND
	JNDER-COUNTER ITEMS				DIRECTION — SHEET WHERE DRAWN
NIC NIC	NOT-IN-CONTRACT ITEMS	(FD)	FLOOR DRAIN IN SLOPING FLOOR		
ARCH	HITECTURAL DE	EMOLITION SY	/MBOLS	2 A102 2	 ELEVATION NUMBER AND DIRECTION OF VIEW
	EXISTING PARTITION TO REMAIN		EXISTING WINDOW TO REMAIN		— SHEET WHERE DRAWN
	EXISTING PARTITION TO BE REMOVED		EXISTING WINDOW TO BE REMOVED	ROOM NAME AND N	UMBER
	EXISTING DOOR TO REMAIN		EXISTING LAY-IN CEILING TO REMAIN	Room Name	
\wedge	EXISTING DOOR AND	· · · ·		WINDOW AND LOU	VER TYPE MARK
	FRAME TO BE REMOVED	$\begin{array}{c} + - + - + \\ + - + - + \end{array}$	EXISTING LAY-IN CEILING TO BE REMOVED	W-X	SEE CORRESPON NUMBER ON SCH
DOOF	R AND INTERIOF	R OPENING S	YMBOLS	M-X	SEE ASSEMBLY T FOR DETAILS.
					NAME OF LEVEL
122	DOOR OPENING MARK SINGLE OPENING DOOR	122	2 PANEL BI-FOLD DOOR		— — — — — — — — — — — — — — — — — — —
	DOUBLE ACTING DOOR	122	Pair - Bi fold door		INDICATES HEIGH ABOVE PROJECT
			OVERHEAD ROLLING DOOR	ARC	HITECTURA
	PAIR DOORS - EQUAL SIZES		INTERIOR GLAZED WINDOW	_	
122	PAIR DOORS - UNEQUAL SIZES		⊐ DOOR WITH SIDE LIGHT	PLAN AND SECTION	N
122		°{	□ SLIDING DOOR - BETWEEN JAMBS		EARTH
	PAIR DOORS - DOUBLE EGRESS	122	□ SLIDING POCKET DOOR		AGGREGATE BASE COURSE
		122	JEIDING I OUNET DOUK		CONCRETE CONCRETE MASONRY UNIT
ARCH	REFLECTED CE	EILING PLAN S	SYMBOLS		BRICK MASONRY
ARCHITECTURAL		ELECTRICAL			PRECAST CONCRETE
	2'X4' LAY IN ACOUSTIC TILE CEILING		2'X4' LIGHTING FIXTURE		LIMESTONE, SANDSTONE, G
			2'X2' LIGHTING FIXTURE 1'X4' LIGHTING FIXTURE		MARBLE
	2'X2' LAY IN ACOUSTIC TILE CEILING		1'X4' LIGHTING FIXTURE		STEEL, STAINLESS STEEL (LARGE SCALE)
	GYPSUM BOARD	0	RECESSED DOWN LIGHT	//////////////////////////////////////	ALUMINUM (LARGE SCALE)
AP	ACCESS PANEL		WALL WASH TRACK LIGHTING		OTHER METALS (LARGE SCALE) WOOD FRAMING -
MECHANICAL		 ⊗ 	EXIT SIGN, SINGLE-SIDED EXIT SIGN, DOUBLE-SIDED		CONTINUOUS (LARGE SCALE WOOD FRAMING - DISCONTI (LARGE SCALE)
	SUPPLY GRILLE	[F]	FIRE ALARM	ELEVATION	. /
	RETURN GRILLE	(S) (P)	SPEAKER SMOKE DETECTOR		PLASTER CONCRETE
	EXHAUST GRILLE	Ŵ	WIRELESS INTERNET		MASONRY, METAL SIDING (HORIZONTAL)
			1		
►	LINEAR DIFFUSER SPRINKLER HEAD - CLG MOUNT	MISCELLANEOUS			GLASS BLOCK, CERAMIC TIL



METAL SIDING (VERTI

IETAL	SIDI	NG (N	/ERTI

IETAL	SIDING	(VE
LASS		

67			28	
69		(45)		
	54	(46)		(14)
(72)	(55) (56)	(48)	(32)	(16)



NEIGHBORHOOD CONTEXT PHOTOS























PROJECT NUMBER

10611.000


AP-1.1.0


SHEET NUMBER






	LEVEL 1 - ROOM SCHEDULE
NUMB ER	NAME
1101	LOBBY
1102	VESTIBULE
1103 1104	DELIVERY/MAIL INTERVIEW/ FINGERPRINT
1105 1106	
1106	FEMALE LAV FEMALE
1108 1109	DRINKING FOUNTAIN MALE LAV
1110	MALE
1112 1113	SERVING VESTIBULE TRAINING/ COMMUNITY ROOM
1114 1115	FURNITURE STORAGE
1116	VESTIBULE
1117	STAIR BUILDING ENGINEER
1119	CENTRAL JANITOR / STORAGE
1121 1122	BUILDING MATERIALS STORAGE DELIVERY / DESTRUCTION/
1123	STORAGE SECURE CORRIDOR
1124	PUBLIC PICK-UP WINDOW
1125 1126	WORK AREA TOILET
1127 1128	RECORDS COPY AREA
1129	SUPPLY/ STORAGE
1130 1131	MANAGER JANITOR
1201	VEST
1202 1204	STAFF EVIDENCE TECH WORK AREA
1205 1206	LONG-TERM STORAGE
1207	CORRIDOR
1208 1209	WORK AREA JANITOR / STORAGE
1211	DESTRUCTION/ STAGING
1212 1213	GENERAL PROPERTY STORAGE DRUG VAULT
1214 1215	LARGE ITEM STORAGE
1221	EVIDENCE PROCESSING
1222 1223	COOLER VALUABLES ROOM
1224 1225	WEAPONS DRYING
1226	EVIDENCE DROP
1301 1302	STAFF VESTIBULE STAIR
1303	
1304 1305	TOILET TOILET
1306 1307	PATROL JUVENILE CONFERENCE/ HOLD
1308	LIEUTENANTS
1309 1311	PATROL SERGEANTS TRAFFIC
1312 1313	WORK AREA EQUIPMENT DISPENSING
1314	DUTY LOCKERS
1315 1316	DUTY LOCKERS BODY CAMS
1317 1401	SQUAD/ BRIEFING SALLY PORT
1401	DECON SHOWER
1403 1405	JUVENILE SECURE PROCESSING
1406	TOILET
1407 1408	SECURE VEST. JANITOR
1409 1412	BOOKING HOLDING
1413	HOLDING
1501 1502	CORRIDOR SPRINKLER
1503 1504	CENTRAL ELECTRICAL MECHANICAL
1504 1505	RADIO ROOM
1506 1507	I.T. EMERGERGENCY POWER ROOM
1601	WEAPON CLEANING
1602 1603	ARMORY FIRING LINE
1604 1605	FIRING LANES BULLET TRAP
1606	VESTIBULE
1607 1608	TOILET RANGE STORAGE
1609	SWAT EQUIPMENT
1611 1612	K-9 AREA/ STORAGE K-9 KENNELS
1613 1614	STRAY
1615	AFTER HOURS EVIDENCE / STORAGE
1616	EVIDENCE LOCKERS
1617 1618	OVERSIZED STORAGE BIKE PATROL
1619	PATROL
1621 1622	TRANSIENT PROPERTY STORAGE GENERAL STORAGE
1623 1624	MOTORCYCLE VEHICLE STORAGE
1625	VEHICLE STORAGE
1626	PROPERTY/BIKE STORAGE





NUMB ER	NAME
2101	STAIR
2102	SECURE CORRIDOR
2103	CORRIDOR
2104	
2105 2106	ADMIN ASSTANTS SENIOR ASSISTANT
2100	CHIEF
2107	CAPTAIN
2109	VOLUNTEERS
2110	WORK AREA
2112	LARGE CONFERENCE (14)
2113	SECURE FILES
2114	TOILET
2115	TOILET
2116	ADMIN WAITING
2117	TOILET
2118	CORRIDOR
2119	
2121 2122	INTERVIEW (4) CRIME VICTIM/HOT/ OUTSIDE
2122	AGENCY
2123	RESERVE OFFICER
2124	SUSPECT WAITING
2125	TOILET
2126	INTERROGATION (3)
2127	JANITOR
2128	VESTIBULE
2129	SERVICES DIVISION
2131	CONFERENCE (4)
2132	ADMIN. LIEUTENANT
2133	TRAINING/ RECURUIT
2134	WORK AREA
2135	FILES/SUPPLIES
2136	ELECTRICAL
2137	STORAGE
2201	VEST.
2202	VESTIBULE
2203	MALE TOILET
2204	SHOWER
2205	MALE LOCKERS
2206	
2207	VESTIBULE
2208 2209	FEMALE TOILET FEMALE LOCKERS
2209	SHOWERS
2210	EXERCISE
2301	STAIR
2302	BREAK/KITCHEN
2303	VENDING
2304	CORRIDOR
2305	CORRIDOR
2306	INVESTIGATIONS
2307	MAJOR CASE
2308	WORK AREA
2309	CAPTAIN
2311	BREAK STORAGE
2312	SOUND VESTIBULE
2313	LACTATION ROOM
2314	SLEEP ROOM
2315 2401	SLEEP ROOM CORRIDOR
2401	TOILET
2402	LOCKERS
2403	BREAK AND WORK AREA
2405	SYSTEMS
	MANAGER
2406	CONFERENCE (4)
2407	DISPATCH
2408	SUPERVISOR STATIONS COMMUNICATIONS COMPUTE
2409	I CALLER AN






GRAPHIC LEGEND

GENERAL SHEET NOTES

- A. REFER TO THE A0.X SERIES SHEETS FOR ARCHITECTURAL GENERAL NOTES, DRAWING, REFERENCE AND MATERIAL SYMBOLS, ABBREVIATIONS, AS WELL AS DIMENSIONING CONVENTIONS USED ON THIS SHEET.
- B. REFER TO AND COORDINATE WITH STRUCTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION NOT SHOWN ON THIS SHEET.
- D. REFER TO THE "REFERENCE ELEVATION DEFINITIONS" LOCATED IN THE A0.X SERIES SHEETS FOR ROOF
- E. REFER TO THE A5.X SERIES SHEETS FOR ROOFING DETAILS.


REFERENCE KEYNOTES

◯ SHEET KEYNOTES






1



2 SOUTH EAST ELEVATION SCALE: 1/8" = 1'-0"



et

3 EAST ELEVATION SCALE: 1/8" = 1'-0"

METAL PANEL 01

METAL PANEL 02

METAL PANEL 03

MECHANICAL SCREEN

TRANSLUCENT GLASS

CLEAR GLASS


CONCRETE MASONRY UNIT

CONCRETE PANEL


GRAPHIC LEGEND

GENERAL SHEET NOTES


- A. REFER TO THE A0.X SERIES SHEETS FOR ARCHITECTURAL GENERAL NOTES, DRAWING, REFERENCE AND MATERIAL SYMBOLS, ABBREVIATIONS, AS WELL AS DIMENSIONING CONVENTIONS USED ON THIS SHEET.
- B. REFER TO AND COORDINATE WITH STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL FOR ADDITIONAL INFORMATION NOT SHOWN ON THIS SHEET.
- C. REFER TO AND COORDINATE WITH CIVIL DRAWINGS FOR ALL FINISH GRADES.
- D. REFER TO THE A4.4.X SERIES SHEETS FOR ENLARGED EXTERIOR ELEVATIONS.
- E. REFER TO THE A5.4.X SERIES SHEETS FOR EXTERIOR WINDOW AND LOUVER FRAME ELEVATIONS.



Sheet	
START Sheet	
14:14 PM	
4/1/2019 3:04:14 PM	
4/	
Plot Date:	
ЪГ 	



NORTH B ELEVATION SCALE: 1/8" = 1'-0"



2 SOUTH WEST ELEVATION SCALE: 1/8" = 1'-0"

METAL PANEL 01



METAL PANEL 03





METAL PANEL 02




GENERAL SHEET NOTES


- A. REFER TO THE A0.X SERIES SHEETS FOR ARCHITECTURAL GENERAL NOTES, DRAWING, REFERENCE AND MATERIAL SYMBOLS, ABBREVIATIONS, AS WELL AS DIMENSIONING CONVENTIONS USED ON THIS SHEET.
- B. REFER TO AND COORDINATE WITH STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL FOR ADDITIONAL INFORMATION NOT SHOWN ON THIS SHEET.
- C. REFER TO AND COORDINATE WITH CIVIL DRAWINGS FOR ALL FINISH GRADES.
- D. REFER TO THE A4.4.X SERIES SHEETS FOR ENLARGED EXTERIOR ELEVATIONS.
- E. REFER TO THE A5.4.X SERIES SHEETS FOR EXTERIOR WINDOW AND LOUVER FRAME ELEVATIONS.

TRANSLUCENT GLASS

CONCRETE MASONRY UNIT

CONCRETE PANEL






GRAPHIC LEGEND

GENERAL SHEET NOTES

- A. REFER TO THE A0.X SERIES SHEETS FOR ARCHITECTURAL GENERAL NOTES, DRAWING, REFERENCE AND MATERIAL SYMBOLS, ABBREVIATIONS, AS WELL AS DIMENSIONING CONVENTIONS USED ON THIS SHEET.
- B. REFER TO AND COORDINATE WITH STRUCTURAL, MECHANICAL, PLUMBING, AND ELECTRICAL FOR ADDITIONAL INFORMATION NOT SHOWN ON THIS SHEET.
- C. REFER TO AND COORDINATE WITH CIVIL DRAWINGS FOR ALL FINISH GRADES.
- D. REFER TO THE A4.4.X SERIES SHEETS FOR ENLARGED EXTERIOR ELEVATIONS.
- E. REFER TO THE A5.4.X SERIES SHEETS FOR EXTERIOR WINDOW AND LOUVER FRAME ELEVATIONS.











Date: 4/1/2019 4:27:53 PM START Sheet














ENTRY		www.composition of the composition of the composit			COVERED PARKING ———	
		Approval:Program Number:Drawn By:18.2561.01MDOriginal Issue:Scale:03.27.2019As NotedTitle:				
NE		<u> </u>	0226153	5PAv2		
PART	E.ID.01 Station Identification Brushed stainless steel letterfor mounted to wall surface	ſ				









				- 4	
<u>GEDE</u>	PARTMENT	E.ID.02 Entrance Identification Brushed stainless steel letterforms, mounted to top side of canopy structure		1234	E.ID.04 Building Address Identification Brushed stainless steel letterforms, mounted to wall surface (Final Address TBD pending response from SSF Building division)







2 MOUNTING ELEVATION








φ (TYP) ╞╞╞╞╞╞╟╞╢ -----_ _ _ _ _ _ ----------(TYP) $\Theta \ \Theta \ \Theta \ \Theta$ $\Theta \Theta \Theta \Theta$ 10000 ------(XL3)-(TYP) 0 0





						LIGH	TING FI>	(TURE)	SCHED	JLE				
TYPE	DESCRIPTION	MANUFACTURER	MODEL	MANUFACTURER (OPTION 1)	MODEL (OPTION 1)	MANUFACTURER (OPTION 2)	MODEL (OPTION 2)	LOAD	WATTS PER FOOT (FOR CONTINUOU S RUNS)	LAMP	BALLAST	VOLTAGE	MOUNTING	TYPE
			WIODEL					0 VA	0 VA	LED	D/ (LL/ (O I	277 V		
SL1	1.5" RECESSED LINEAR LED WITH BLACK LOUVERED OPTICS	AXIS LIGHTING	MIKROLITE					0 VA	0 VA	LED	0-10V 0.1% DIMMING	277 V	LENGTHS AS INDICATED ON PLANS	SL1
SL1A	1.5" RECESSED LINEAR LED WITH DIFFUSE LENS	AXIS LIGHTING	MIKROLITE					0 VA	0 VA	LED	0-10V 0.1% DIMMING	277 V	LENGTHS AS INDICATED ON PLANS	SL1A
SL2	6" WIDE APERTURE PERIMETER LED COVE LIGHT ASSEMBLY	PRUDENTIAL LIGHTING	P59					0 VA	0 VA	LED	0-10V DIMMING	277 V	LENGTHS AS INDICATED ON PLANS	SL2
SL3	4"Ø ROUND RECESSED LED WALLWASH	USAI	BEVELED 2.2					0 VA		LED	0-10V DIMMING	277 V		SL3
SL4	MULTI HEAD ADJUSTABLE RECESSED LED SPOT LIGHT; 3 HEADS; 6" X 20" APERTURE OPENING	3G LIGHTING	3G-RC3					0 VA		LED	0-10V 0.1% DIMMING	277 V		SL4
SL5	4"Ø ROUND RECESSED LED DOWNLIGHT	USAI	BEVELED 2.2					0 VA		LED	0-10V DIMMING	277 V		SL5
SL5A	4"Ø ROUND RECESSED LED DOWNLIGHT, IP64 RATED	USAI	BEVELED 2.2					0 VA		LED	0-10V DIMMING	277 V		SL5A
XL2	6"Ø INGROUND IP68 ADJUSTABLE LED FLOOD LIGHT WITH LINEAR SPREAD LENS	WE-EF	611-2220 + 611-8028					0 VA		LED	0-10V DIMMING	277 V		XL2
XL3	4" X 24" INGROUND IP67 RATED IK10 RATED LED LINEAR FLOOD WITH DMX CONTROLS AND 10°X30° OPTICS; DRIVER OVER RATED; DMX CONTROL	LUMENPULSE	LUMEN FACADE INGROUND					0 VA	0 VA	LED	DMX RDM CONTROL DIMMING TO 0.1%	277 V	PROVIDE DMX CONTROL TO ALLOW EACH FIXTURE TO BE INDIVIDUALLY ADDRESSED FOR DYNAMIC 0.1% DIMMING FROM DUSK UNTIL MIDNIGHT	XL3
XL4	1.5" x 3" X 24" LINEAR LINEAR LED EXTERIOR COVE LIGHT, IP67 RATED, 10° X 30° OPTIC; DMX CONTROL	LUMENPULSE	LUMEN FACADE NANO					0 VA	0 VA	LED	DMX RDM CONTROL DIMMING TO 0.1%	277 V	PROVIDE DMX CONTROL TO ALLOW EACH FIXTURE TO BE INDIVIDUALLY ADDRESSED FOR DYNAMIC 0.1% DIMMING FROM DUSK UNTIL MIDNIGHT	XL4
XL4A	1.5" x 3" LINEAR LINEAR LED EXTERIOR COVE LIGHT, IP67 RATED, DIFFUSE OPTIC; DMX CONTROL	LUMENPULSE	LUMEN FACADE NANO					0 VA	0 VA	LED	DMX RDM CONTROL DIMMING TO 0.1%	277 V	LENGTHS AS INDICATED ON PLANS; PROVIDE DMX CONTROL TO ALLOW EACH FIXTURE TO BE INDIVIDUALLY ADDRESSED FOR DYNAMIC 0.1% DIMMING FROM DUSK UNTIL MIDNIGHT	XL4A
XL4B	1.5" x 3" LINEAR LINEAR LED EXTERIOR COVE LIGHT, IP67 RATED, 8° X 8° OPTIC; DMX CONTROL	LUMENPULSE	LUMEN FACADE NANO					0 VA	0 VA	LED	DMX RDM CONTROL DIMMING TO 0.1%	277 V	LENGTHS AS INDICATED ON PLANS; PROVIDE DMX CONTROL TO ALLOW EACH FIXTURE TO BE INDIVIDUALLY ADDRESSED FOR DYNAMIC 0.1% DIMMING FROM DUSK UNTIL MIDNIGHT	XL4B
XL5	8" X 8" X 3.75" LEDWALL PACK WITH DECORATIVE HOUSING AND SYMETRIC LIGHT DISTRIBUTION, IP64 RATED	BEGA	24218							LED	0-10V DIMMING	277 V		XL5
XL6	2" X 8" X 2.5" LED WALLPACK DESIGNED TO SURFACE MOUNT TO VERTICAL ARCHITECTURAL MULLION CAP, IP64 RATED	BEGA	33514							LED	0-10V DIMMING	277 V		XL6
XL7	ARCHITECTURAL EXTERIOR LED WALL MOUNTED AREA LIGHT, ALUMINUM HOUSING AND HEAD STINK; GLARE CONTROL; TYPE VI FOWARD THROW	WE-EF	659-5521 659-9351					0 VA		LED	0-10V DIMMING	277 V		XL7
XL7A	ARCHITECTURAL EXTERIOR LED PARKING LOT LIGHT FIXTURE, ALUMINUM HOUSING AND HEAD STINK; GLARE CONTROL; TYPE VI WIDE	WE-EF	659-5521					0 VA		LED	0-10V DIMMING	480 V		XL7A
XL8	14' TALL LANDSCAPE PEDESTRIAN POST TOP LED LIGHT WITH GLARE CONTROL	WE-EF	646-4320					0 VA		LED	0-10V DIMMING	277 V		XL8



GENERAL SHEET NOTES

- A. CONTRACTOR TO COORDINATE WITH OTHER TRADES, CEILING TYPES, ARCHITECTURAL MOUNTING DETAILS, ELEVATIONS, AND FIELD CONDITIONS. CONTRACTOR TO PROVIDE ALL EQUIPMENT AND ACCESSORIES NECESSARY TO INSTALL
- LIGHTING FIXTURES IN SPECIFIED CEILING CONDITION. B. CONTRACTOR TO COORDINATE FIXTURE LOCATIONS AND MOUNTING DETAILS WITH ARCHITECTURAL PLANS.
- C. CONTRACTOR TO COORDINATE ALL FIXTURE AND DRIVER COMPATIBILITY AND CONFIRM COMPATIBILITY WITH INSTALLED OCCUPANCY AND DIMMING SYSTEMS. D. ALL FIXTURE SUBSTITUTIONS SHALL HAVE A WORKING SAMPLE
- PROVIDED FOR REVIEW WITHIN 10 WORKING DAYS UPON REQUEST FROM THE DESIGN TEAM. E. JUDGMENT OF FIXTURE QUALITY AND OPTICS, AS EQUAL,
- SHALL BE DETERMINED BY THE ARCHITECT OR LIGHTING DESIGNER. F. LOW-TEMPERATURE BALLAST MUST BE CAPABLE OF STARTING
- AT -18 DEGREES CELSIUS. G. ALL FIXTURES SHALL HAVE APPROPRIATE UL LABEL, DAMP, OR WET AS REQUIRED BY LOCAL CODES.
- H. ALL FIXTURES SHALL INCLUDE ALL ACCESSORIES REQUIRED FOR INSTALLATION ACCORDING TO ALL LOCAL AND NATIONAL CODES. I. PRIOR TO ORDERING ANY LIGHTING EQUIPMENT, THE CONTRACTOR SHALL VERIFY ALL LOCATIONS AND RECESS
- DEPTHS. J. ALL LAMPS SHALL BE INSTALLED ACCORDING TO THE LIGHTING
- FIXTURE SCHEDULE. K. CONTRACTOR SHALL VERIFY FINAL VOLTAGES AND CEILING TRIM COMPATIBILITY PRIOR TO ORDERING FIXTURES. L. ALL FINISHES TO BE VERIFIED BY ARCHITECT / INTERIOR
- DESIGNER, PRIOR TO ORDERING. M. ANY UNSPECIFIED OR TBD FINISHES ARE TO BE ASSUMED AS STANDARD AVAILABLE FINISHES FOR PRICING, UNLESS
- OTHERWISE NOTED. N. ALL FIXTURES SHALL BE ORDERED WITH THE APPROPRIATE BALLASTS THAT HAVE UL AND CBM LABELS. ALL BALLASTS MUST CONFORM TO LOCAL ENERGY CODE REQUIREMENTS
- FOR PERFORMANCE, SWITCHING, AND WIRING (I.E. TANDEM). 0. PROVIDE APPROVED FIRE-RATED ENCLOSURES FOR ALL LIGHTING FIXTURES LOCATED IN A FIRE-RATED CEILING OR
- WALL. P. WALLS DIRECTLY ILLUMINATED SHALL BE INSTALLED AND FINISHED IN A MANNER TO ELIMINATE SHADOWS OR
- BLEMISHES (I.E. HANG DRY WALL VERTICALLY). Q. ALL FIXTURES LOCATED IN AN INSULATED CEILING AREA, SHOULD HAVE AN IC HOUSING (ELECTRICAL CONTRACTOR TO COORDINATE). R. ALL ADJUSTABLE DOWNLIGHTS MUST BE SHIPPED TO SITE
- WITH LAMP FACING STRAIGHT DOWN. CONTRACTOR TO INSTALL ALL FIXTURES WITH LAMP FACING DOWN, IF PROCURED OTHERWISE. MCLA TO DIRECT CONTRACTOR IN RE-AIMING AT WALLS, OBJECTS, ETC. IN THE FIELD DURING SITE VISIT ARRANGED FOR THAT EXPRESS PURPOSE. S. ALL WHITE TRIM DOWNLIGHTS TO BE PAINTED TO MATCH THE
- COLOR OF THE CEILING, IF CEILING IS NOT WHITE. THIS APPLIES TO BOTH OPEN DOWNLIGHTS AS WELL AS PINHOLE APERTURE DOWNLIGHTS.

○ SHEET KEYNOTES




SCHEDULE

PROJECT NUMBER

10611.000

LDP7.1

SHEET NUMBER



SMITHGROUP

